



## 20-year warranty

View our full warranty:



If you have questions or concerns regarding assembly instructions or missing parts, please contact us at



## Cleaning tips

### For a Quick Clean:

Simply wipe down with soap and water.

### For a Deep Clean:

Wipe on  $\frac{1}{3}$  bleach and  $\frac{2}{3}$  water solution with a clean cloth and let it sit on the lumber for a few minutes (this will not affect the color). Then, loosen any dirt and debris that may catch in surface grooves with a soft bristle brush; hose down to rinse.

### For a High-Power Clean:

Use a pressure power washer (not exceeding 1,500 psi) to spray off dirt and debris. Apply a  $\frac{1}{3}$  bleach and  $\frac{2}{3}$  water solution and scrub with a soft-bristle brush. Hose down to rinse.


# POLYWOOD

## Assembly Instructions




**L1D81, L1R81,  
L1B81**  
**For Use With Small Plank  
Table-PL81**

## TOOLS




3/8" wrench  
(not included)




4mm T-handle  
hex key (included)

## PARTS




**A** x 8



2.5" Screw — HHW14X2.5


**B** x 4




3" Screw — H.27X3

# 1


Align each screw with a  
pilot hole and partially  
thread by hand before  
fully tightening




If legs have  
relaxed during  
transit, they  
may be guided  
into pilot hole  
alignment



# 2



Removable  
table plug



# POLYWOOD

## Assembly Instructions



### 20-year warranty

View our full warranty:



If you have questions or concerns regarding assembly instructions or missing parts, please contact us at



### Cleaning tips

#### For a Quick Clean:


Simply wipe down with soap and water.

#### For a Deep Clean:

Wipe on  $\frac{1}{3}$  bleach and  $\frac{2}{3}$  water solution with a clean cloth and let it sit on the lumber for a few minutes (this will not affect the color). Then, loosen any dirt and debris that may catch in surface grooves with a soft bristle brush; hose down to rinse.


#### For a High-Power Clean:

Use a pressure power washer (not exceeding 1,500 psi) to spray off dirt and debris. Apply a  $\frac{1}{3}$  bleach and  $\frac{2}{3}$  water solution and scrub with a soft-bristle brush. Hose down to rinse.













## ADD200, 201, 202 Classic Adirondack Chair

## TOOLS



## PARTS



ADD200

ADD201

ADD202