


POLYWOOD

Assembly Instructions



SH22 Seashell Adirondack



20-Year Warranty

Easily register your product using one of the methods below:

Text POLYWOOD to 71403
Receive a link to register online

— or —

— or —

Send a Picture
Take a photo of the icon below and text it to 71403 (US only)



Cleaning Tips

Even POLYWOOD gets dirty — here are some ways to help keep it clean:

For a quick clean:

Simply wipe down with soap and water.

For a deeper clean:

You'll need:


- » 1/3 bleach and 2/3 water solution
- » clean cloth
- » soft bristle brush

Wipe on solution with your cloth and let it sit on the lumber for a few minutes (this will not affect the color). Then, loosen any dirt and debris that may catch in surface grooves with a soft bristle brush; hose down to rinse.


TOOLS



PARTS



A x 2



.75" Bolt — H.25-20X.75

B x 2



1.75" Bolt — H.25-20X1.75

C x 6




2.25" Bolt — H.25-20X2.25

D x 4




1.5" Phillips Screw — H8X1.5


1




2




3



4




5




6

Push back up to seat-no pilot holes
for final screws



POLYWOOD

Assembly Instructions



SHO22 Seashell Ottoman



20-Year Warranty

To view our full warranty, please visit

Easily register your product using one of the methods below:

Text POLYWOOD to 71403
Receive a link to register online

— or —

Register on our website

— or —

Send a Picture

Take a photo of the icon below and text it to 71403 (US only)



Cleaning Tips

Even POLYWOOD gets dirty — here are some ways to help keep it clean:

For a quick clean:

Simply wipe down with soap and water.


For a deeper clean:

You'll need:

- » 1/3 bleach and 2/3 water solution
- » clean cloth
- » soft bristle brush



Wipe on solution with your cloth and let it sit on the lumber for a few minutes (this will not affect the color). Then, loosen any dirt and debris that may catch in surface grooves with a soft bristle brush; hose down to rinse.

TOOLS



4mm T-handle
hex key (included)


PARTS





A x 6

2" Screw — H.27X2

1



2



POLYWOOD