

# POLYWOOD

## Assembly Instructions



20-year warranty

View our full warranty:



If you have questions or concerns regarding assembly instructions or missing parts, please contact us at



### Cleaning tips

**For a Quick Clean:**


Simply wipe down with soap and water.

**For a Deep Clean:**

Wipe on  $\frac{1}{3}$  bleach and  $\frac{2}{3}$  water solution with a clean cloth and let it sit on the lumber for a few minutes (this will not affect the color). Then, loosen any dirt and debris that may catch in surface grooves with a soft bristle brush; hose down to rinse.


**For a High-Power Clean:**

Use a pressure power washer (not exceeding 1,500 psi) to spray off dirt and debris. Apply a  $\frac{1}{3}$  bleach and  $\frac{2}{3}$  water solution and scrub with a soft-bristle brush. Hose down to rinse.




## RT124, RT224 24\"/>A line drawing of a round bistro table with a slatted top and four legs. The table is shown from a three-quarter perspective. A large, faint watermark reading "PREMIUM POLY PATIOS" is visible across the background of the table.

TOOLS




4mm T-handle  
hex key (included)

PARTS




**A** x 4




.81" Screw - H.27X.81

**B** x 4




2" Screw - H.27X2

**C** x 4




3" Screw - H.27X3


1



2



3





## 20-year warranty

View our full warranty:



If you have questions or concerns regarding assembly instructions or missing parts, please contact us at



## Cleaning tips

### For a Quick Clean:

Simply wipe down with soap and water.

### For a Deep Clean:


Wipe on  $\frac{1}{3}$  bleach and  $\frac{2}{3}$  water solution with a clean cloth and let it sit on the lumber for a few minutes (this will not affect the color). Then, loosen any dirt and debris that may catch in surface grooves with a soft bristle brush; hose down to rinse.

### For a High-Power Clean:

Use a pressure power washer (not exceeding 1,500 psi) to spray off dirt and debris. Apply a  $\frac{1}{3}$  bleach and  $\frac{2}{3}$  water solution and scrub with a soft-bristle brush. Hose down to rinse.


# POLYWOOD

## Assembly Instructions




## 1910 Signature Dining Chair

TOOLS




4mm T-handle  
hex key (included)

PARTS




**A** x 6



2.5" Screw — H.27X2.5

**B** x 4




3" Screw — H.27X3

**C** x 2




4" Screw — H.27X4


1



2




3




Do not tighten screws until last

4



Tighten all



POLYWOOD