


POLYWOOD

Assembly Instructions



BST, TWST Two Shelf Side Table



20-Year Warranty

To view our full warranty, please visit

Easily register your product using
one of the methods below:

Text POLYWOOD to 71403
Receive a link to register online

— or —

Register on our website

— or —

Send a Picture

Take a photo of the icon below and
text it to 71403 (US only)



Cleaning Tips

Even POLYWOOD gets dirty — here
are some ways to help keep it clean:

For a quick clean:

Simply wipe down with soap and water.

For a deeper clean:

You'll need:

- » 1/3 bleach and 2/3 water solution
- » clean cloth
- » soft bristle brush


Wipe on solution with your cloth
and let it sit on the lumber for a few
minutes (this will not affect the color).
Then, loosen any dirt and debris that
may catch in surface grooves with a
soft bristle brush; hose down to rinse.

TOOLS



Phillips Screwdriver
(Screw Gun Recommended)
(Not Included)

PARTS



A x 2




2" Phillips Screw — H8X2


B x 8




1





2




3



4



TWST



BST

PREMIUM
POLY PATIOS



20-year warranty

View our full warranty:



If you have questions or concerns regarding assembly instructions or missing parts, please contact us at



Cleaning tips

For a Quick Clean:

Simply wipe down with soap and water.

For a Deep Clean:


Wipe on $\frac{1}{3}$ bleach and $\frac{2}{3}$ water solution with a clean cloth and let it sit on the lumber for a few minutes (this will not affect the color). Then, loosen any dirt and debris that may catch in surface grooves with a soft bristle brush; hose down to rinse.

For a High-Power Clean:

Use a pressure power washer (not exceeding 1,500 psi) to spray off dirt and debris. Apply a $\frac{1}{3}$ bleach and $\frac{2}{3}$ water solution and scrub with a soft-bristle brush. Hose down to rinse.

POLYWOOD


Assembly Instructions



K147

Jefferson Woven Rocker

TOOLS




4mm T-handle
hex key (included)



4mm hex, straight,
for drill (included)

PARTS



A x 14




3" Screw — H.27X3

B x 4



2.5" Bolt — H.25-20X2.5

D x 2




Finial with Dowel Screw


1

For assembly videos and more,

Some may find this easier to
assemble with a friend.




2




Partially thread each screw into
pilot holes by hand before fully
tightening.



3



4



5



POLYWOOD